

ICF & GCL STORAGE CORRECTIONS, KAF,  
 FORECAST OF SYSTEM FLOOD CONTROL FOR 1 MAY

2006

=====			
Forecast date 1/		1 Jan	1 Feb
=====			
<b>MCDB</b>			
May-Jul; inflow minus outflow		5807	5573
projected space available		9629	8635
required flood control draft		4080	4080
storage correction		5807	5573
<b>LIB</b>			
May-Jul; inflow minus outflow		3737	4340
projected space available		1705	2087
required flood control draft		765	1966
storage correction		1705	2087
<b>DCDB</b>			
May-Jul; inflow minus outflow		1382	1434
projected space available		1377	1353
required flood control draft		1109	1176
storage correction		1377	1353
LIB-DCDB TRAPPED STORAGE		0	0
<b>HGH</b>			
May-Jul; inflow minus outflow		1536	1719
projected space available		723	1011
required flood control draft		723	1011
storage correction		723	1011
<b>DWR</b>			
May-Jul; inflow minus outflow		1705	1785
projected space available		1181	1218
required flood control draft		1138	1218
storage correction		1181	1218
<b>ARDB</b>			
projected space available		4483	3600
required flood control draft		3600	3600
storage correction		3600	3600
<b>BRN</b>			
projected space available		525	593
required flood control draft		525	593
storage correction		525	593
FIXED STORAGE CORRECTION			
KER		500	500
NOX		0	0
ALF		500	500
JDA		150	250
TDA Apr-Aug fcst		87500	94300
STORAGE CORRECTION TOTAL, GCL		16068	16685
<b>GCL</b>			
parm		71432	77615
projected space available		3554	4316
required flood control draft		3554	4316
storage correction		3554	4316
IRRIGATION ADJUSTMENT		1671	1671
TDA May-Aug fcst		74176	79940
STORAGE CORRECTION TOTAL, ICF		21294	22673
<b>ICF</b>			
parm		52882	57268
ICF, KCFS; 2/		334	366

Questions? Contact Ken Soderlind, 503-808-3950, John McCoskery, 503-808-3951,  
 or Patti Etzel, 503-808-3958

Footnotes:

- 1/ Forecasts for months other than the current month may be different than the official forecast released earlier. Differences are due to updated streamflow, precip, or snow data.
- 2/ COLUMBIA RIVER TREATY, FLOOD CONTROL OPERATING PLAN, CHART #1